

Schug *et al. Cancer & Metabolism* 2014, **2**(Suppl 1):O9
<http://www.cancerandmetabolism.com/content/2/S1/O9>



**Cancer &
Metabolism**

ORAL PRESENTATION**Open Access**

Acetyl-coA synthetase 2 promotes acetate utilization and maintains cell growth under metabolic stress

Zachary Schug^{1*}, Barrie Peck², Dylan Jones³, Qifeng Zhang⁴, Israt Alam⁵, Tim Witney⁵, Elizabeth Smethurst⁴, Shaun Grosskurth⁶, Adrian Harris³, Susan Critchlow⁶, Eric Aboagye⁵, Michael Wakelam⁴, Almut Schulze^{2,7}, Eyal Gottlieb¹

From Metabolism, Diet and Disease 2014: Cancer and metabolism
Washington DC, USA. 28-30 May 2014

During tumour formation and expansion, cancer cells encounter constantly changing environmental conditions in which nutrient and oxygen availability may be severely compromised. The metabolic transformation of cancer cells is characterised by distinct changes in metabolic activity that satisfy the exigencies of energy and biomass production imposed by continued cell proliferation. These metabolic adaptations often involve increased consumption and metabolism of extracellular nutrients, mainly glucose, amino acids and lipids. During periods of nutrient or oxygen deprivation, cancer cells can also modify their metabolism to adapt to these specific challenges. Here we report the results of a functional genomics study that revealed that the activity of acetyl-coA synthetase 2, an enzyme that converts acetate into acetyl-coA, contributes to cellular growth under oxygen and nutrient stressed conditions. ACSS2 was required to provide acetyl groups for lipid biosynthesis. Moreover, ACSS2 was essential for cancer cell growth and survival under physiologically relevant growth conditions and its depletion blocked tumour growth *in vivo*. In summary, our data demonstrate a previously unappreciated role for acetate as a nutritional source for the growth and survival of breast and prostate cancer cells under metabolic stress.

Authors' details

¹CR-UK The Beatson Institute, Glasgow, UK. ²CR-UK London Research Institute, London, UK. ³Weatherall Institute for Molecular Medicine, Oxford, UK. ⁴The Babraham Institute, Cambridge, UK. ⁵Imperial College, London, UK. ⁶AstraZeneca, Macclesfield, UK. ⁷Theodor Boveri Institute, Wurzburg, Germany.

Published: 28 May 2014

¹CR-UK The Beatson Institute, Glasgow, UK
Full list of author information is available at the end of the article

doi:10.1186/2049-3002-2-S1-O9

Cite this article as: Schug *et al.*: Acetyl-coA synthetase 2 promotes acetate utilization and maintains cell growth under metabolic stress. *Cancer & Metabolism* 2014 **2**(Suppl 1):O9.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



© 2014 Schug *et al.*; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.